


# PIR Motion Detector Camera

**SONY CCD CAMERA 3.7mm PINHOLE LENS**



## ■ Specification

ITEMS	
TYPE	COLOR
PICK-UP DEVICE	SONY CCD IMAGE SENSOR
PICTURE ELEMENTS	NTSC: 512Hx492V - PAL: 512Hx582V
HORIZONTAL RESOLUTION	420 TVL
MINI ILLUMINATION	0.1 LUX
HORIZ. SYNC FREQUENCY	EIA/NTSC: 15.734Khz - CCIR/PAL: 15.625Khz
VERTICAL FREQUENCY	EIA/NTSC: 60Hz - CCIR/PAL: 18.9375
CLOCK FREQUENCY	EIA/NTSC: 19.0699 Mhz - CCIR: 18.9375
SCANNING SYSTEM	2:1 INTERLACE
S/N RATIO	46dB
ELECTRONIC SHUTTER	1/1000.000s
LENS	PINHOLE LENS
VIDEO OUTPUT	1Vp-p, 75 Ohms
AUDIO OUTPUT	2Vp-p (Max)
GAMMA	0.45
PIR SENSOR	7M / 110 DEGREES ANTI-RFI
ALARM	NO / NC / GND
WEIGHT	100g
POWER SUPPLY	DC12V
POWER CONSUMPTION	150mA
STORAGE TEMPERATURE	-30°C to +60°C
OPERATING TEMPERATURE	-10°C to +45°C

\* Specifications are subject to change without notice

\*\* Designed in U.S.A.